

2
ENFORCEMENT SENSITIVEFACILITY MANAGEMENT PLAN PROCESS
INITIAL SCREENING DECISION DOCUMENTIS FACILITY ENVIRONMENTALLY SIGNIFICANT? _____ Yes X No

(Note: If Yes, Proceed To In-Depth Analysis. If No, Proceed To Final Determination)

RATIONALE FOR DECISION: No known or suspected gw
contamination or releases from SWMUs.HAS STATE AGENCY CONCURRED WITH INITIAL SCREENING RESULTS? X Yes _____ NoKaren Flourney
EPA Reviewer5-28-85
DateJohn Paul Doetz
State Reviewer5-28-85
DateR00011231
RCRA Records Center

FACILITY MANAGEMENT PLAN PROCESS

INITIAL SCREENING CHECKLIST

EPA I.D. NO.: KSD0000203638
 FACILITY NAME: Olin Water Services/Olin Corp.
 FACILITY LOCATION: KC KS
 FACILITY CONTACT: Blaine Madsen

SOLID WASTE MANAGEMENT UNIT (SWMU) QUESTIONNAIRE:

SWMU Questionnaire Completed: X Yes ___ No

Date SWMU Questionnaire Response Submitted: April 1, 85

Follow-up Action taken: None
 (Late, incomplete, no response)

DATE INITIAL SCREENING CONDUCTED: May 6, 85

INITIAL SCREENING CONDUCTED BY: EPA X STATE ___

INFORMATION REVIEWED DURING INITIAL SCREENING:

Response to SWMU Questionnaire: X

State/EPA Permit File: X

State/EPA Compliance File: X

State/EPA Superfund File: No SPED File

State Solid Waste File: ___

1. Results of Site Visits or Inspections: Jan 19, 83 site visit ; Apr. 24, 84
Flournoy, EPA & Kamath, KDHE Goetz, KDHE 2/6/85
 Aerial photographs, if available: none available inspect.
 Citizen complaints regarding facility: none known

1. Apr. 22, 81 EPA RCRA Inspection, Dec. 21, 82 KDHE RCRA Inspect.

Other available information (List): _____

REVIEW OF CRITERIA FOR ENVIRONMENTALLY SIGNIFICANT FACILITY:

- ° Facility received waste from CERCLA site(s); ____ Yes X No
- ° Facility has caused environmental damage, violated environmental standards or disregarded RCRA regulations; ____ Yes X No
- ° Facility is suspected source of groundwater or surface water contamination (Note: we plan to include all land disposal facilities as environmentally significant facilities for purposes of initial screening unless the facility groundwater monitoring system is adequate and the groundwater monitoring data and questionnaire response indicates no release); ____ Yes X No
- ° Facility poses significant environmental risk, determined on basis of:
 - ____ proximity to population centers and/or aquifers and surface waters;
 - ____ facility size;
 - ____ amount, nature and complexity of waste handled by facility; and
 - ____ age of facility.

IMPACT OF HSWA OF 1984 ON FACILITY: (Note: Refer to document "RCRA Reauthorization Impact-Permitting" for list of specific HSWA provisions that could impact permit facilities). List provisions that impact this facility.

- see attached matrix -
storage fac. w/ draft permit out on public
notice when amendments were signed

RELEASES:

Hazardous Waste Management Unit:

- ° Description of Unit(s): container storage area

~ Nature of Known or Suspected Release: _____

° Media (Hazardous Waste or Constituent): _____

Solid Waste Management Unit:

° Description of Unit(s): don't know of any SWMUs

~ Nature of Known or Suspected Release: _____

~ Media (Hazardous Waste or Constituent): _____

Loren Flourney
EPA/State Reviewer

5-7-85
Date

RCRA REAUTHORIZATION IMPACT - PERMITTING

Reauthorization Provisions	RCRA Cite	In-house Permit Application Revisions			Immediate Permit Issuance	Part B Call Strategy	Interim Status Notice Letters			State - EPA Negotiations
		Land Disposal	Incineration	Storage			Land Disposal	Incineration	Storage	
Double Liner Requirements with No Groundwater Variance	3004(o), 3015, 3004(p)	X					X			
Corrective Action and Financial Assurance for Releases from Solid Waste Management Units	3004(u & v)	X	X	X	X					
Exposure Assessment	3019	X								
Ban on Liquids in Landfills	3004(c)	X					X			
Surface Impoundment Retrofit	3005(j)	X					X			
Regulated Unit Date Change	3005(i)	X			X	X	X			
Ban on Dust Suppression	3004(l)	X	X	X	X		X	X	X	
Conditions for Protection of Human Health	3005(c)	X	X	X	X					
Condition for Permit Reopening	3005(c)	X	X	X	X					
Submission of Part B Applications	3005(e)					X	X	X	X	X
Mandatory Permit Issuance Dates	3005(c)	X	X	X						X
Joint State/EPA Permits	3006(c)									X
Certification of Waste Minimization	3005(h)	X	X	X	X		X	X	X	
Certification of Ground-water Compliance	3005(e)	X					X			
Certification of Financial Assurance	3005(e)	X					X			
Biennial Reports	3002(a)				X		X	X	X	
Notification and Labelling of Fuels	3004(r,s)		X	X	X			X	X	
No Pre-permit Construction Ban on PCB incinerators	3005(a)		X							
Ban on Mine Disposal of Hazardous Waste	3004(b)				X		X		X	
Restrictions on Certain Cement Kilns	3004(q)			X	X			X		
Research and Development Permits	3005(g)									
Termination of Temporary Delistings	3001(f)	X	X	X			X	X	X	
Financial Responsibility Provisions	3004(t)	X	X	X	X		X	X	X	

Olin Water Services

Permit File

- Part B called Sept. 13, 82; Part B rec'd. Mar. 14, 83
- Draft permit public notice Sept 26, 84 to Nov. 13, 84

Compliance File

- Apr. 22, 81 RCRA compl. inspection
- Dec. 21, 82 KDHE RCRA inspect.
- Compliance Order & follow-up actions on incomplete Part B

No Superfund File